Drainage Board June 7th 2011 – 10:30 a.m.

Meeting called to order by President Logsdon. Members Logsdon, Toler, Gogel, Surveyor Herron, Surveyor secretary Jones, Auditor Lynam, Engineer Lloyd and Attorney Robinson were present.

Surveyor's Report

Logsdon asked for the Surveyor's report. The Surveyor stated he has been spraying (Legal drains) ditches. Mapped pictures were handed out. Surveyor stated he has all ditches sprayed. Surveyor stated not all sprayed ditches were listed on the hand out. Logsdon asked about what we have spent for the chemicals to spray the ditches? Surveyor stated around \$1,100 for chemicals in a span of about 15 miles. This should cut costs on maintenance to the ditches. Expenses were paid out of Rainy day funds per secretary. Surveyor Herron used some of his own equipment. Logsdon thanked him. Surveyor discussed an Amish surveyor stake that he has been looking into.

Open Bids

There are 2 bids out currently on Caney Creek and J.C. Hoople they will probably begin work next week. It was held up due to being to wet.

Log jam

Logsdon gave Surveyor a phone number to railroad personnel that he knew. Logsdon stated that this person had assisted our county in the past and he drives a travelling crane. Logsdon advised surveyor to contact this person right away to get on his schedule to clean out a log jam near Dale Indiana.

Pigeon Switch

Painter discussed a drainage problem at Pigeon switch behind Colonel Jones in Gentryville, IN with the surveyor.

<u>Anderson River</u>

Logsdon requested for the surveyor to contact Jim Ebert concerning work the EPA will be doing on the Anderson river just east of St. Meinrad but still in Spencer County.

Surveyor's Secretary Report

Logsdon asked if the FEMA Grant has closed out as yet. Jones stated no, they have not contacted her.

Legal Report

None '

Toler made a motion to adjourn. Gogel seconded. All in favor, the meeting was adjourned at 10:40 a.m.

Drainage Board,

President

Attest:

Klanna J Lyna

Donna J. Lynam, Auditor

Michay John